BND300-0021 US BND300-0022 CAN

Meeting Owl 3 + Owl Bar

Two smart cameras.
All angles covered.


Our essential duo for immersive and effective meetings in any space.

Learn More

Integrated 8microphone array and high-fi speaker

> 4K 114° wide-view lens

The Meeting Owl 3 + Owl Bar is the first Al-powered multi-camera meeting experience that wirelessly connects a 4K front-of-room video bar with a 360-degree center-of-room device to enable more natural and effective hybrid collaboration by capturing the room from front and center.



BND300-0021 US BND300-0022 CAN

IN ROOM EXPERIENCE

More natural and effective hybrid collaboration

Our multi-camera video conferencing solution captures the room from front and center to frame in-room speakers head-on for more effective hybrid collaboration.



REMOTE VIEW

360-degree view of the room

Seamless automatic cameraswitching



Intelligent speakerframing and autofocus

The first Al-powered multi-camera meeting experience in-market

Learn More

Owl Bar Specifications

OWL BAR FRS100-1000

OWLLABS°

OVERVIEW

General	Usage	Certifications & Compatibility
Built-in components: 4 beamforming microphones, digital pantilt-zoom camera, 1 speaker, The Nest device management platform. Table stand/wall mounting included.	Owl Intelligence System™: Powered by the OIS™ using AI computer vision and movement and voice cues to automatically focus on active speakers	Device Pairing: Wirelessly pairs with one Meeting Owl (3 or Pro), or one Meeting Owl and one Whiteboard Owl, in the same meeting space
Enclosure: All-in-one enclosure with integrated table stand/wall mount Device Management: The Nest Displays Supported: 2 Display Resolution: Up to 4K Processor: Qualcomm 8250	Wireless Pairing: Wireless pairing with the Meeting Owl and the Whiteboard Owl supported Speaker Framing: Automatic digital PTZ to correctly frame in-room participants based on where they're seated Camera Switching: Intelligent camera switching between the Owl Bar and the Meeting Owl to show the best view of the room for remote participants	VC Platforms: All web-based video conferencing platforms, including Zoom, Microsoft Teams, Google Meet, Slack, and others VC Certifications: Microsoft Teams and Zoom certifications coming by end of 2023 USB Mode: Plug and Play to work with host or in-room computer

TECHNICAL SPECIFICATIONS

Camera	Speakers & Microphones	Interfaces & Power
Resolution: 4K Camera: 30 MP Horizontal FOV: 114° Vertical FOV: 73°	Pickup Range: 18ft / 5.5m Beamforming Elements: 4 omnidirectional microphones Add-on Mics: Option to connect one Expansion Mic when paired with Meeting Owl 3 Speakers: 1 high-fidelity speaker Audio Processing & Noise Suppression: OIS Output: 82 dBSPL at 1m	HDMI Out (#): 2* HDMI In (#): 1* USB Type: USB 3.0: lx Type C, lx Type A Network: 10/100/1000 Ethernet; 2.4GHz and 5.0 GHz WiFi * Reserved for future use

MANAGEMENT

Setup & What's in the Box	Environmental	Security & Warranty
What's in the box: Owl Bar USB cable Table / Wall Mount Mounting hardware Power supply DC Cable AC Cable User documentation Mounting Options: Included mounting hardware enables tabletop setup or wall mounting Option to purchase Owl Bar TV Mount for hanging below in-room TV	Operating Temperature: 32° to 95° F (0° to 35° C) Storage Temperature: -4° to 140° F (-20° to 60° C) Humidity: 10% to 90% Operating Voltage/Power: 19V	Secure Boot Processes enabled Communication Ports: Locked down; only allowed to communicate with secure protocols Owl Labs security details Standard: 2-year limited hardware warranty included Owl Care: 3-year limited hardware warranty, white glove onboarding support, and one no-questions-asked device replacement